

Author Index of Volume 189

- Ahn, S., 291
Ahzi, S., 35
Alaoua, D., 155
Asaro, R. J., 35

Bhadeshia, H. K D. H., 229
Boey, F., 173

Channel, T. E., 147
Chen, X., 45
Chou, T. S., 229
Chung, T. E., 85

Deve, H. E., 147
Dorn, S., 181
Drew, R. A. L., 209

Emig, G., 311

Faulkner, R. G., 85
Fitzer, E., 311

García-Cordovilla, C., 219
Garden, J., 165
Geng, L., 235
Ghosh, G., 277
Gu, H., 77
Gurarie, V. N., 319

Hadian, A. M., 209
Hanada, S., 191
Harlow, D. G., 69
Hirsch, T., 181
Hirth, J. P., 9

Jakob, A., 129
Jeng, Y.-L., 257

Kalantary, M. R., 85
Kamat, S. V., 9
Khor, K. A., 173
Kim, N. J., 291

Kokini, K., 301
Kunz, L., 1

Laird, C., 77
Larere, A., 155
Lartigue, S., 155
Lavernia, E. J., 257
Lederich, R. J., 29
Lee, B. J., 35
Lee, H. F., 173
Liu, H., 69
Liu, J., 235
Liu, Z. R., 235
Louis, E., 219
Lu, G., 247
Lukáš, P., 1

Magnin, J. P., 165
Mahajan, Y. R., 95, 137
Marucco, A., 267
Masser, D., 69
Mayr, P., 181
McAfee, J. L., 29
McCullough, C., 147
Mishra, R. S., 95
Murakami, Y., 191
Muruges, L., 201

Narciso, J., 219

Otsuka, K., 191
Ozil, P., 165

Pamies, A., 219
Pandey, A. B., 95
Park, W. J., 291
Partridge, P. G., 247
Pathe, C., 165
Patrick, D. K., 15
Pestes, R. H., 9
Picq, G., 165
Poignet, J. C., 165
Prasad, Y. V. R. K., 137

Priester, L., 155
Püschl, W., 61

Quek, M. Y., 105

Radhakrishna Bhat, B. V., 137
Ritchie, R. O., 201
Roshan, H. Md., 137

Sano, T., 173
Schoeck, G., 61
Schoeffert, S., 165
Schwartz, D. S., 29
Shue, K. Y., 241
Speidel, M. O., 129
Stone, I. C., 285
Sundararajan, G., 117

Takeuchi, Y. R., 301
Tan, X., 77
Tirupataiah, Y., 117
Tromans, D., 45
Tsakirooulos, P., 285

Van Aken, D. C., 15
Venkateswara Rao, K. T., 201
Vennereau, P., 165
Vincent, D., 165

Wang, D. Z., 235
Ward-Close, C. M., 247
Watanabe, S., 191
Watt, A. J., 319
Wei, R. P., 69
Williams, J. S., 319
Wolfenstine, J., 257

Yao, C. K., 235
Yeh, J. W., 241
Yue, C. Y., 105

Zhang, S., 77
Zimmermann-Chopin, R., 311



Subject Index of Volume 189

Alloys

- characteristics of superplasticity domain in the processing map for hot working of an Al alloy 2014–20vol.%Al₂O₃ metal matrix composite, 137
- evolution of microstructure in a rapidly solidified Al–Fe–V–Si alloy, 291
- fatigue crack propagation in 8090 Al–Li alloy—environmental effects, 45
- high deformation consolidation powder metallurgy processes for an Al–Li alloy composite, 173
- microstructure of vapour-quenched Ti–Mg alloys, 247
- observation and kinetic analysis of a metastable b.c.c. phase in rapidly solidified Ni–9at.%Zr and Ni–8at.%Zr–1at.%X alloys, 277
- recrystallization temperatures in mechanically alloyed oxide-dispersion-strengthened MA956 and MA957 steels, 229
- self-accommodation and morphology of 14M (7R) martensites in an Ni–37.0at.%Al alloy, 191
- thermodynamic modelling of wetting at silicon nitride/Ni–Cr–Si alloy interfaces, 209

Aluminium

- characteristics of superplasticity domain in the processing map for hot working of an Al alloy 2014–20vol.%Al₂O₃ metal matrix composite, 137
- evolution of microstructure in a rapidly solidified Al–Fe–V–Si alloy, 291
- fatigue crack propagation in 8090 Al–Li alloy—environmental effects, 45
- fracture toughness of Al–4%Mg/Al₂O₃p composites, 9
- high deformation consolidation powder metallurgy processes for an Al–Li alloy composite, 173
- high temperature creep of Al–TiB₂ particulate composites, 95
- In situ* transmission electron microscopy observation of the initiation and growth of microcracks in an SiC whisker–Al composite, 235
- mechanical response of continuous fibre-reinforced Al₂O₃–Al composites produced by pressure infiltration casting, 147
- microstructure and tensile properties of TiAl compounds formed by reactive foil metallurgy, 129
- powder processing of ductile-phase-toughened Nb–Nb₃Al *in situ* composites, 201
- self-accommodation and morphology of 14M (7R) martensites in an Ni–37.0at.%Al alloy, 191
- superplastic forming and the resulting mechanical properties of Ti–14wt.%Al–20wt.%Nb–3.2wt.%V–2wt.%Mo, 29
- the effect of the spatial distribution of reinforcement on the fabrication and heat treatment of (Al–4wt.%Cu)–SiC particle metal matrix composites, 285

Bacteria

- preparation of porous materials by bacterially enhanced corrosion of Fe in iron-titanium hot-pressed plates, 165

Ball bearings

- structural alterations of local damage in ball bearings subjected to rolling contact fatigue, 181

Boron

- high temperature creep of Al–TiB₂ particulate composites, 95

Carbon

- a differential scanning calorimetry study of solid state reactions in AA6061–SiC, AA6061–Al₂O₃ and A357–SiC composites fabricated by means of compocasting, 219
- elevated-temperature mechanical behavior of plasma-sprayed MoSi₂–SiC, 257
- In situ* transmission electron microscopy observation of the initiation and growth of microcracks in an SiC whisker–Al composite, 235
- precipitation and surface segregation in low carbon steels, 155
- the effect of the spatial distribution of reinforcement on the fabrication and heat treatment of (Al–4wt.%Cu)–SiC particle metal matrix composites, 285

Ceramics

- initiation of surface cracks in multilayer ceramic thermal barrier coatings, under thermal loads, 301

Cerium

- sol-gel process for spinning of continuous (Zr,Ce)O₂ fibers, 311

Chromium

- atomic ordering in the Ni–Cr–Fe system, 267
- thermodynamic modelling of wetting at silicon nitride/Ni–Cr–Si alloy interfaces, 209

Compocasting

- a differential scanning calorimetry study of solid state reactions in AA6061–SiC, AA6061–Al₂O₃ and A357–SiC composites fabricated by means of compocasting, 219

Composites

- a differential scanning calorimetry study of solid state reactions in AA6061–SiC, AA6061–Al₂O₃ and A357–SiC composites fabricated by means of compocasting, 219
- characteristics of superplasticity domain in the processing map for hot working of an Al alloy 2014–20vol.%Al₂O₃ metal matrix composite, 137
- fracture toughness of Al–4%Mg/Al₂O₃p composites, 9
- high deformation consolidation powder metallurgy processes for an Al–Li alloy composite, 173
- high temperature creep of Al–TiB₂ particulate composites, 95
- In situ* transmission electron microscopy observation of the initiation and growth of microcracks in an SiC whisker–Al composite, 235
- mechanical response of continuous fibre-reinforced Al₂O₃–Al composites produced by pressure infiltration casting, 147
- powder processing of ductile-phase-toughened Nb–Nb₃Al *in situ* composites, 201
- the effect of the spatial distribution of reinforcement on the fabrication and heat treatment of (Al–4wt.%Cu)–SiC particle metal matrix composites, 285

Copper

- the effect of the spatial distribution of reinforcement on the fabrication and heat treatment of (Al–4wt.%Cu)–SiC particle metal matrix composites, 285

- Corrosion**
preparation of porous materials by bacterially enhanced corrosion of Fe in iron-titanium hot-pressed plates, 165
- Cracking**
fatigue crack propagation in 8090 Al-Li alloy—environmental effects, 45
In situ transmission electron microscopy observation of the initiation and growth of microcracks in an SiC whisker-Al composite, 235
initiation of surface cracks in multilayer ceramic thermal barrier coatings under thermal loads, 301
mechanism of crack propagation in low cycle fatigue of type 316L stainless steel within the temperature range 20–300 °C, 85
probabilistic considerations of creep crack growth, 69
- Creep**
high temperature creep of Al-TiB₂ particulate composites, 95
probabilistic considerations of creep crack growth, 69
- Crystals**
comparison of fatigue behaviour of single crystals and polycrystals, 1
loading mode dependence of deformation microstructure in a high-purity titanium single crystal oriented for difficult glide, 77
plasticity and anisotropy evolution in crystalline polymers, 35
recrystallization temperatures in mechanically alloyed oxide-dispersion-strengthened MA956 and MA957 steels, 229
- Damage**
structural alterations of local damage in ball bearings subjected to rolling contact fatigue, 181
- Deformation**
high deformation consolidation powder metallurgy processes for an Al-Li alloy composite, 173
loading mode dependence of deformation microstructure in a high-purity titanium single crystal oriented for difficult glide, 77
- Dislocations**
dissociated dislocations in the Peierls potential, 61
- Erbium**
processing, microstructure, and elevated temperature mechanical properties of MoSi₂ containing Er₂Mo₃Si₄ and Er₂O₃ particles, 15
- Fabrication**
a differential scanning calorimetry study of solid state reactions in AA6061-SiC, AA6061-Al₂O₃ and A357-SiC composites fabricated by means of compocasting, 219
the effect of the spatial distribution of reinforcement on the fabrication and heat treatment of (Al-4wt.%Cu)-SiC particle metal matrix composites, 285
- Fatigue**
comparison of fatigue behaviour of single crystals and polycrystals, 1
fatigue crack propagation in 8090 Al-Li alloy—environmental effects, 45
mechanism of crack propagation in low cycle fatigue of type 316L stainless steel within the temperature range 20–300 °C, 85
structural alterations of local damage in ball bearings subjected to rolling contact fatigue, 181
- Fibre reinforcement**
mechanical response of continuous fibre-reinforced Al₂O₃ composites produced by pressure infiltration casting, 147
- Fibres**
sol-gel process for spinning of continuous (Zr,Ce)O₂ fibers, 311
- Filtration**
mechanical response of continuous fibre-reinforced Al₂O₃-Al composites produced by pressure infiltration casting, 147
- Flake formation**
formation of highly elongated flakes by splat quenching droplets on a moving substrate at a small angle, 241
- Fracture**
fracture toughness of Al-4%Mg/Al₂O₃p composites, 9
- Glass**
effect of ion implantation on thermal shock resistance of magnesia and glass, 319
- Hot pressing**
preparing of porous materials by bacterially enhanced corrosion of Fe in iron-titanium hot-pressed plates, 165
- Interfaces**
thermodynamic modelling of wetting at silicon nitride/Ni-Cr-Si alloy interfaces, 209
- Ion implantation**
effect of ion implantation on thermal shock resistance of magnesia and glass, 319
- Iron**
atomic ordering in the Ni-Cr-Fe system, 267
evolution of microstructure in a rapidly solidified Al-Fe-V-Si alloy, 291
preparation of porous materials by bacterially enhanced corrosion of Fe in iron-titanium hot-pressed plates, 165
- Lithium**
high deformation consolidation powder metallurgy processes for an Al-Li alloy composite, 173
- Loading**
loading mode dependence of deformation microstructure in a high-purity titanium single crystal oriented for difficult glide, 77
- Magnesia**
effect of ion implantation on thermal shock resistance of magnesia and glass, 319
- Magnesium**
fracture toughness of Al-4%Mg/Al₂O₃p composites, 9
microstructure of vapour-quenched Ti-Mg alloys, 247
- Martensites**
self-accommodation and morphology of 14M (7R) martensites in an Ni-37.0at.%Al alloy, 191
- Metals**
the strain-rate sensitivity of flow stress and strain-hardening rate in metallic materials, 117
- Molybdenum**
elevated-temperature mechanical behavior of plasma-sprayed MoSi₂-SiC, 257
processing, microstructure, and elevated temperature mechanical properties of MoSi₂ containing Er₂Mo₃Si₄ and Er₂O₃ particles, 15
superplastic forming and the resulting mechanical properties of Ti-14wt.%Al-20wt.%Nb-3.2wt.%V-2wt.%Mo, 29

Nickel

- atomic ordering in the Ni-Cr-Fe system, 267
- observation and kinetic analysis of a metastable b.c.c. phase in rapidly solidified Ni-9at.%Zr and Ni-8at.%Zr-1at.%X alloys, 277
- observation and kinetic analysis of a metastable b.c.c. phase in rapidly solidified Ni-9at.%Zr and Ni-8at.%Zr-1at.%X alloys, 277
- self-accommodation and morphology of 14M (7R) martensites in an Ni-37.0at.%Al alloy, 191
- thermodynamic modelling of wetting at silicon nitride/Ni-Cr-Si alloy interfaces, 209

Niobium

- powder processing of ductile-phase-toughened Nb-Nb₃Al *in situ* composites, 201
- superplastic forming and the resulting mechanical properties of Ti-14wt.%Al-20wt.%Nb-3.2wt.%V-2wt.%Mo, 29

Ordering

- atomic ordering in the Ni-Cr-Fe system, 267

Oxygen

- characteristics of superplasticity domain in the processing map for hot working of an Al alloy 2014-20vol.%Al₂O₃ metal matrix composite, 137
- fracture toughness of Al-4%Mg/Al₂O₃p composites, 9
- mechanical response of continuous fibre-reinforced Al₂O₃-Al composites produced by pressure infiltration casting, 147
- processing, microstructure, and elevated temperature mechanical properties of MoSi₂ containing Er₂Mo₃Si₄ and Er₂O₃ particles, 15
- recrystallization temperatures in mechanically alloyed oxide-dispersion-strengthened MA956 and MA957 steels, 229
- sol-gel process for spinning of continuous (Zr,Ce)O₂ fibers, 311

Peierls potential

- dissociated dislocations in the Peierls potential, 61

Plasma spraying

- elevated-temperature mechanical behavior of plasma-sprayed MoSi₂-SiC, 257

Plasticity

- characteristics of superplasticity domain in the processing map for hot working of an Al alloy 2014-20vol.%Al₂O₃ metal matrix composite, 137
- plasticity and anisotropy evolution in crystalline polymers, 35
- superplastic forming and the resulting mechanical properties of Ti-14wt.%Al-20wt.%Nb-3.2wt.%V-2wt.%Mo, 29

Polymers

- plasticity and anisotropy evolution in crystalline polymers, 35

Porous materials

- preparation of porous materials by bacterially enhanced corrosion of Fe in iron-titanium hot-pressed plates, 165

Powders

- high deformation consolidation powder metallurgy processes for an Al-Li alloy composite, 173
- powder processing of ductile-phase-toughened Nb-Nb₃Al *in situ* composites, 201

Precipitation

- precipitation and surface segregation in low carbon steels, 155

Pull-out tests

- axisymmetric stress distribution in the single filament pull-out test, 105

Rapid solidification

- evolution of microstructure in a rapidly solidified Al-Fe-V-Si alloy, 291
- observation and kinetic analysis of a metastable b.c.c. phase in rapidly solidified Ni-9at.%Zr and Ni-8at.%Zr-1at.%X alloys, 277

Reactive foil metallurgy

- microstructure and tensile properties of TiAl compounds formed by reactive foil metallurgy, 129

Segregation

- precipitation and surface segregation in low carbon steels, 155

Silicon

- a differential scanning calorimetry study of solid state reactions in AA6061-SiC, AA6061-Al₂O₃ and A357-SiC composites fabricated by means of compocasting, 219
- elevated-temperature mechanical behavior of plasma-sprayed MoSi₂-SiC, 257
- evolution of microstructure in a rapidly solidified Al-Fe-V-Si alloy, 291
- In situ* transmission electron microscopy observation of the initiation and growth of microcracks in an SiC whisker-Al composite, 235
- processing, microstructure, and elevated temperature mechanical properties of MoSi₂ containing Er₂Mo₃Si₄ and Er₂O₃ particles, 15
- the effect of the spatial distribution of reinforcement on the fabrication and heat treatment of (Al-4wt.%Cu)-SiC particle metal matrix composites, 285
- thermodynamic modelling of wetting at silicon nitride/Ni-Cr-Si alloy interfaces, 209

Sol-gel processes

- sol-gel process for spinning of continuous (Zr,Co)O₂ fibers, 311

Spinning

- sol-gel process for spinning of continuous (Zr,Ce)O₂ fibers, 311

Splat quenching

- formation of highly elongated flakes by splat quenching droplets on a moving substrate at a small angle, 241

Steel

- mechanism of crack propagation in low cycle fatigue of type 316L stainless steel within the temperature range 20-300 °C, 85
- recrystallization temperatures in mechanically alloyed oxide-dispersion-strengthened MA956 and MA957 steels, 229

Steels

- precipitation and surface segregation in low carbon steels, 155

Strain

- the strain-rate sensitivity of flow stress and strain-hardening rate in metallic materials, 117

Stress

- axisymmetric stress distribution in the single filament pull-out test, 105
- the strain-rate sensitivity of flow stress and strain-hardening rate in metallic materials, 117

Tensile properties

- microstructure and tensile properties of TiAl compounds formed by reactive foil metallurgy, 129

Thermal barriers

- initiation of surface cracks in multilayer ceramic thermal barrier coatings under thermal loads, 301

Thermal shock

- effect of ion implantation on thermal shock resistance of magnesia and glass, 319

Titanium

- fatigue crack propagation in 8090 Al-Li alloy—environmental effects, 45
- high temperature creep of Al-TiB₂ particulate composites, 95
- loading mode dependence of deformation microstructure in a high-purity titanium single crystal oriented for difficult glide, 77
- microstructure and tensile properties of TiAl compounds formed by reactive foil metallurgy, 129
- microstructure of vapour-quenched Ti-Mg alloys, 247
- preparation of porous materials by bacterially enhanced corrosion of Fe in iron-titanium hot-pressed plates, 165
- superplastic forming and the resulting mechanical properties of Ti-14wt.%Al-20wt.%Nb-3.2wt.%V-2wt.%Mo, 29

Vanadium

- evolution of microstructure in a rapidly solidified Al-Fe-V-Si alloy, 291
- superplastic forming and the resulting mechanical properties of Ti-14wt.%Al-20wt.%Nb-3.2wt.%V-2wt.%Mo, 29

Vapour quenching

- microstructure of vapour-quenched Ti-Mg alloys, 247

Wetting

- thermodynamic modelling of wetting at silicon nitride/Ni-Cr-Si alloy interfaces, 209

Whiskers

- In situ* transmission electron microscopy observation of the initiation and growth of microcracks in an SiC whisker-Al composite, 235

Zirconium

- observation and kinetic analysis of a metastable b.c.c. phase in rapidly solidified Ni-9at.%Zr and Ni-8at.%Zr-1at.%X alloys, 277
- sol-gel process for spinning of continuous (Zr,Ce)O₂ fibers, 311

